Uniden[®]

XDECT R055

OWNER'S MANUAL


IMPORTANT NOTICE:


 Under power failure conditions this appliance may not operate. Please ensure that a separate telephone, not dependent on local power, is available for emergency use.

GENERAL NOTICES FOR NEW ZEALAND MODEL:

- The grant of a NZ Telepermit for any item of terminal equipment indicates only that Telecom has accepted that the item complies with minimum conditions for connection to its network. It indicates no endorsement of the product by Telecom, nor does it provide any sort of warranty. Above all, it provides no assurance that any item will work correctly in all respects with another item of Telepermitted equipment of a different make or model, nor does it imply that any product is compatible with all of Telecom's network services.
- The maximum volume setting of this telephone exceeds the Telecom specified volume requirement. Telecom takes no responsibility for the high volume available on this telephone, customer's who believe this telephone is too loud should contact the manufacturer at the website indicated on owner's manual warranty page.
- For telephone networks other than Telecom there may be a charge incurred for local calls if the Insert 0 feature is on. Turn Insert 0 off.
- This equipment may not provide for the effective hand-over of a call to another device connected to the same line.

XDECT R055 Series Owner's Manual





If any items are missing or damaged, contact your place of purchase. Never use damaged products!

What's in the manual?

Installing Your Phone1	Chain Dialing	.32
Setup the Base1	Using Multi-station Features	
Setup the Repeater/Charger(s)	Expanding Your Phone	
(if included)	Using Multi-Station Conference Calling.	
Setup the Handset(s)	Using Privacy Mode	
Using the Belt Clip6 Test the Connection7	Using Call Transfer	
Using the Repeater8	Using the Intercom	
-	Using Special Features	
Getting to Know Your Phone11 Parts of the Base11	Using Do Not Disturb	
Parts of the Handset	Using Call Block	.36
Reading the Displays15	Using the Alarm Feature	.კბ
Using the Soft Keys17	Using Voice Message Notification	
Entering Text on Your Phone19	Using the Answering System	
Using the Menus20	Setting Up Your Answering System	
The <i>Handset</i> and <i>Base Setup</i> Menu 21	Getting Your Messages	
The Clock Setup Menu22	Screening Your Calls	.40
The Global Setup Menu22	from Home	44
Special Feature Menus23		
Using Your Phone24	Solving Problems Weak or Hard To Hear Audio	
Working with Two Lines24	Noise or Static On The Line	
Changing the Volume26	Resetting and Registering Handsets	
Using the Caller ID and Redial Lists26	Registering Repeaters	
Using Call Waiting28	Handling Liquid Damage	.51
Finding a Lost Handset28	Important Information	
Using the Headset29	Battery Information	.53
Using the Phonebook30	Index	
Setting Up Your Phonebook30		
Phonebook Menu Options32	One-year Limited Warranty	.55

Important Safety Instructions!

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- This unit is NOT waterproof. DO NOT expose this unit to rain or moisture.
- Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- Do not use the telephone to report a gas leak in the vicinity of the leak.
- Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.
- Do not place the handset in any charging cradle without the battery installed and the battery cover securely in place.

Installing Your Phone

Setup the Base

Attach the stand

Before you attach the stand, you have to decide if you want the phone to rest on a desk or hang on a wall.

1. For desktop use, turn the stand so the locking tabs that say DESK are facing the base with the arrows pointing up. OR

For wall mount use. turn the stand so the locking tabs that say WALL are facing the base with the arrows pointing down.

2. Align the stand with the notches on the base.


3. Slide the stand onto the notches until it clicks into place.



To remove the stand Pull the locking tabs up and back (see the black arrows in the illustration to the right). Then, slide the stand straight off the same direction you put it on.

Connect the power and telephone cord(s)

 Connect the base AC adapter to the DC IN 9V jack and route the cord as shown:



Connect one of the included telephone cords to the PRIMARY LINE jack.




If you wish to connect a second telephone line then remove the label cover to access the TEL LINE 2 jack. Connect the second telephone cord to the TEL LINE 2 jack. Route the cords as shown above.

- 3. Connect the cord from **PRIMARY LINE** to the phone jack for line 1; then, if you have a second telephone line, connect the cord from **TEL LINE 2** to the phone jack for line 2.
- 4. Plug the AC adapter into a standard 240V AC power outlet.

Place the main base on the wall


Place the mounting slots (hole spacing is 100mm vertical) over the pins on the wall plate, and slide the base down to lock it into place.



Setup the Repeater/Charger(s) (if included)

Connect the repeater/charger power cord

- If your phone came with any accessory handsets and chargers, connect a charger AC adapter to each charger's DC IN 9V jack and set the plug into the notch as shown. (These adapters might already be connected.)
- Plug the other end of the adapter into a standard 240V AC power outlet.



Attach the stand

- 3. To attach the stand, you have to decide if you want the repeater to rest on a desk or hang on a wall.
 - For desktop use, turn the stand so the locking tabs that say **DESK** are facing the base with the arrows pointing up. OR
 - For wall mount use, turn the stand so the locking tabs that say wall are facing the base with the arrows pointing down.
- 4. Align the stand with the notches on the repeater.
- Slide the stand onto the notches until it clicks into place. (To remove the stand, pull the locking tabs up and back. Then, slide the stand straight off the same direction you put it on.)

Place the repeater/charger on the wall

6. For wall mount use, place the mounting slots (hole spacing is 30mm horizontal) over the pins on the wall, and slide the base down to lock it into place.

Setup the Handset(s)

Install the battery

- Unpack all handsets, battery packs, and battery covers. If any handset has the battery cover already attached, press in on the notch and slide the cover down and off.
- Line up the battery pack connector with the jack inside the handset. (The battery connector will only fit one way.)
- Push the battery pack connector in until it clicks into place. Tug gently on the wires to make sure the battery pack is securely connected.






4. Place the cover over the battery compartment and slide it up into place.

Charge the battery

Place one handset in the base and any other handsets in a charger with the displays facing forward. (It doesn't matter which handset you place in the base.) The **CHARGE** lights on the base and all chargers should turn on.





If	Try
a CHARGE light doesn't turn on	- reseating the handset checking the AC adapter connection.

Charge all handsets completely (about 15 hours) before using them. When fully charged the battery will provide up to 8hrs talk time and 7 days standby time.

Using the Belt Clip

To attach the belt clip

Line up the holes on each side of the handset. Insert the belt clip into the holes on each side of the handset. Press down until it clicks.

To remove the belt clip

Pull either side of the belt clip to release the tabs from the holes.

Test the Connection

Pick up the handset from the base and press TALK/FLASH.. The phone should pick up line 1 automatically and change the display to show *Talk* 1, and you should hear a dial tone.

When you get a dial tone, make a test call; press **END** to hang up.

If	Try
the base display says Check or you don't hear a dial tone	checking the connection between the base and the phone jack: make sure the cord is connected to PRIMARY LINE .
there's a lot of noise or static	see page 47 for tips on avoiding interference.
the handset display says Unavailable	resetting the handset (see page 49). If you have accessory handsets, try using a different handset for the test call.

Test Line 2 (Optional)

If a second line is connected, make a test call on the second line. Pick up the handset and press the unmarked key under $\blacksquare INE2$. You should hear a dial tone and the display should show Talk $\blacksquare 2$.



If	Try
the display says 2 Check or you don't hear a dial tone	checking the connection between the base and the phone jack: if you have a separate jack for each line, make sure the cord is connected to TEL LINE 2 .

Test any accessory handsets the same way. If you can't get a dial tone or the handset display says *Unavailable*, try moving the handset

closer to the base or resetting it (see page 49).


Using the Repeater

How it works

An XDECT R005 repeater can extend the range of your base in all directions, including up and down. The XDECT R005 repeater unit is also a charger for the accessory handset.


Each handset will automatically connect to the repeater or the base, depending on which signal is stronger, and the handset operates exactly the same way whether it's connected to the base or to the repeater.

The repeaters must be registered to the base before you can use them. Any repeaters that come packaged with the base are already registered to that base. For instructions on registering repeaters to the base, see page 50.




Note: Base range (grey area) and repeater range (dotted outline around repeater) is represented here as circular. Actual coverage area will vary depending on environment.

 Your base supports a total of six XDECTR005 repeaters, including any that were supplied with your phone. Repeaters can be up to 3 chain-links (maximum) from the base



◆ Example of coverage area with 6 repeaters (maximum total)



 If you want to use the repeater with a new base, simply register the repeater to the new base (see page 50). The repeater overwrites its own link to the base.

Placing repeaters


Here are a few tips for placing your repeater so that you get the clearest signal and the maximum range:

- Make sure you have good reception from the base
- For best performance put the repeater at least 10m away from the base or any other repeater. (If you install the repeater on a different floor from the base, don't forget to allow 10m vertically, also).
- If possible, mount the repeater on the wall.

Picking the best spot

The best spot for the repeater is as far from the base as possible while still maintaining a good signal, or near the edge of the base's coverage area. To find the edge of the coverage area:


- Stand near the base and make a call on the handset.
- 2. While on the call, carry the handset away from the base towards the general area where you want to put the repeater.
- 3. Watch the signal strength icon on the handset. Make a note where the icon drops from 4 bars to 3 bars.
- 4. Continue walking away from the base.



5. Place the repeater anywhere inside the range where the signal strength icon showed 3 bars and the handset had a clear signal with no noise.

Testing the location


Connect the repeater's AC adapter and make sure the **LINK** light comes on and steady. If the light flashes, the repeater is not getting a good signal. The repeater may be too far away from the base, there may be interference from electronic devices, or the signal might be blocked by thick walls or metal objects. Try moving the repeater to another location.



Getting to Know Your Phone

Parts of the Base

If the key name is spelled out on the key itself, it's not labeled in the drawing below.




Base keys and how they work

Key name (and icon)	What it does
- In standby or during a call: open the phonebook During text entry: move the cursor to the left In the first 2 seconds of a message: go to the previous message Anytime after that: go to the beginning of this message.	
PLAY/STOP (►■)	- In standby: start playing messages While a message is playing: stop playing messages.

Key name (and icon)	What it does
UP (▲)	 In standby: increase the ringer volume for line 1 or line 2. During a speakerphone call or while a message is playing: increase the speaker volume. In the menu or any list: move the cursor up one line.
CALLER ID/ RIGHT ((【ID/▶▶1)	- In standby or during a call: open the Caller ID list During text entry: move the cursor to the right While a message is playing: skip to the next message.
DOWN (▼)	 In standby: decrease the ringer volume for line 1 or line 2. During a speakerphone call or while a message is playing: decrease the speaker volume. In the menu or any list: move the cursor down one line.
ON/OFF	- In standby: turn the answering system on or off.
DO NOT DISTURB (英)	- In standby: turn the Do Not Disturb feature on or off (see page 36).
INTERCOM/ HOLD	- In standby: page a handset using the intercom During a call: put the call on hold and start a call transfer.
SPEAKER (◀)))	- In standby: start a speakerphone call (get a dial tone) During a speakerphone call: hang up.
MUTE/EXIT	 While this station is ringing: mute the ringer for this call only. During a call: mute the microphone. In the menu or any list: exit the menu completely.
REDIAL/ PAUSE	- In standby: open the redial list While entering a phone number: insert a 2-second pause.
DELETE (Ø)	 While a message is playing: delete this message. In standby: delete all messages. While entering text: delete one character, or press and hold to delete all the characters.
SOFT KEYS	- The soft keys automatically change their function based on what you are doing. See "Using the Soft Keys" on page 17.

Parts of the Handset




Handset keys and how they work

Key name (and icon)	What it does
UP (▲)	 In standby: increase the ringer volume for line 1 or line 2. During a call: increase the call volume. In the menu or any list: move the cursor up one line.
END	- During a call: hang up. - In the menu or any list: exit and go to standby.


Key name (and icon)	What it does
CALLER ID/ RIGHT ([ID)	- In standby or during a call: open the Caller ID list During text entry: move the cursor to the right.
SPEAKER (◄))	- Switch a normal call to the speakerphone (and back).
INTERCOM/ HOLD	- In standby: page another station using the intercom During a call: put the call on hold and start a call transfer.
REDIAL/ PAUSE	- In standby: open the redial list While entering a phone number: insert a 2-second pause.
*/ LOCK(5=0)	- In standby: press and hold to lock or unlock the keypad.
DOWN (▼)	- In standby: decrease the ringer volume for line 1 or line 2 During a call: decrease the call volume In the menu or any list: move the cursor down one line.
PHONEBOOK/ LEFT (\(\mathbf{J}\))	- In standby or during a call: open the phonebook. - During text entry: move the cursor to the left.
TALK/FLASH	- In standby: start a telephone call (get a dial tone) During a call: switch to a waiting call.
SOFT KEYS	- The soft keys automatically change their function based on what you are doing. See "Using the Soft Keys" on page 17.

Reading the Displays

On the base



On the handset



The table below shows the possible icons and what they mean. Since the icons appear based on what you're doing with the phone, you won't ever see all of these icons at the same time.

Base Icon	Handset Icon	What it means
1 or 11	LI .	The accompanying information (in use, on hold, etc.) applies to line 1.
2 or L2	L2	The accompanying information (in use, on hold, etc.) applies to line 2.

Base Icon	Handset Icon	What it means
<u>a' a. a.</u>	Ø Ø Ø 1 2 12	The ringer is turned off for 1) line 1 only, 2) line 2 only, or 3) both. This station will not ring when a call comes in on the indicated lines.
	×	You have a voice message waiting (see "Using Voice Message Notification" on page 39).
8	P	Privacy Mode is on: no other station can join your call.
NA	ф)	The speakerphone is on.
M	M	The microphone is muted, and the caller can't hear you.
NA	•	The alarm is set. (See "Using the Alarm Feature" on page 38.)
NA	f	T-coil mode is on. (See "Do you use a T-coil hearing aid?" on page 48.)
NA	8880	The battery is 1) fully charged, 2) half charged, 3) getting low, or 4) empty.
NA		The signal from the base is 1) very weak, 2) low, 3) strong, or 4) very strong.

Answering system status icons

The icons on the right hand side of the base display indicate the status of the answering system. Each icon will appear separately for line 1 (at the top) and line 2 (at the bottom). See *Using Your Answering System* on page 40 for more information.


Icon	What it means
Ø	The answering system is off: it will not answer the phone.
AUUDAUCE ONLA	The answering system is set to announce only: it will answer the phone but will not record any messages.
FULL	The answering system memory is full: you must delete some saved messages.
1 through 59	This number indicates the number of new messages for each line.

Using the Soft Keys


Soft keys are controlled by the software: they will automatically change their function depending on what you're currently doing:

Soft keys with the phone in standby

On the base




On the handset




Soft keys in the main menu

On the base



On the handset



 The description of the soft key's current function appears in the bottom of the display directly above the corresponding key.

- If the description for a soft key is blank, that key doesn't currently have a function.
- Sometimes, the current function of a soft key can duplicate the function of a regular key. If this happens, you can press either key.
- When this manual refers to a soft key, it uses the soft key's description printed on a black background.

Common soft key descriptions

The table below lists some soft key descriptions that the phone uses across several menus or operations. These are not all the soft key descriptions, but these are probably the ones you'll see most often.

Soft key description:	What it does:
ВАСК	Go back to the previous screen. Any unsaved changes on the current screen will be canceled.
CANCEL	Cancel the current operation without saving any changes.
DELETE	Erase the highlighted item.
LINE1	Use line 1 for the current operation.
LINE2	Use line 2 for the current operation.
MENU	Open the main menu screen.
MUTE	Turn off the ringer, speaker, or microphone.
OK	Select the highlighted option or confirm the current operation.
OPTIONS	Show available choices for the current operation or for the highlighted item.
SELECT	Choose the highlighted option.

Entering Text on Your Phone


When you want to enter text into your phone (for example, a name in the phonebook), use the twelve-key dial pad to enter the letters printed on the number keys. Here's how it works:

- ◆ The phone enters the letters in the order they appear on the key. For example, if you press the number key 2 once, the phone enters the letter A. Press 2 twice for B. and three times for C.
- ◆ If you press the key again after the last letter, the phone starts the same letter sequence with small letters. If you press 2 four times in a row, the phone enters a (small letter). Press 2 five times for b, and six times for c.
- ◆ If you see the icon [Aa] in the display, the phone enters capital letters first (A B C), then small letters (a b c), then the number on the key (2). The icon [aA] means the phone starts at the small letters, so it enters small letters first, then the number on the key, then capital letters.
- The phone automatically uses a capital letter for the first letter and any letter right after a space; all other times, it uses small letters.
- If two letters in a row use the same number key, enter the first letter, then use CALLER ID/RIGHT to move the cursor to the next position to enter the second letter.

Switch between capital and small letters	Press *.
Move the cursor	Press PHONEBOOK/LEFT to move the cursor to the left or CALLER ID/RIGHT to move the cursor to the right.
Leave a blank space	Press # (POUND).
Erase one letter	Move the cursor to the letter you want to erase and press the DELETE soft key. (On the base, you can also press DELETE .)
Erase the entire entry	Press and hold DELETE .
Enter punctuation or a symbol	Press 0 to rotate through the available symbols.

Using the Menus

The menus are designed to be as easy as possible. Some users don't even need the manual once they know how to perform these actions:



If you don't press any keys for thirty seconds, the phone times out and exits the menu. (When setting the day and time, the time-out period is extended to two minutes.)

	·
Open the menu	Press MENU.
Move the cursor	The cursor (the black bar with the white text) shows which menu item is currently highlighted; when you're entering characters, the cursor shows where you are in the line. - Use UP to move the cursor up one line. - Use DOWN to move it down one line. - Use PHONEBOOK/LEFT to move it one space to the left. - Use CALLER ID/RIGHT to move it one space to the right.
Select an option	Move the cursor to highlight the option, then press OK.
Return to the previous screen	Press BACK. If you press BACK on the first screen, the phone exits the menu.

Close the menu	On the handset, press END ; on the base, press MUTE/ EXIT . (If you open the menu during a call, press BACK to back out of the menu without hanging up.)
----------------	--

The next several pages list all the available menu options and how to use them. Most of the menus are the same for the base and cordless handsets; any option that is available only for the base or handset is noted in the description.

The Handset and Base Setup Menu

When you open the menu on a handset, this menu is called *Handset Setup*. On the base, this menu is called *Base Setup*. Each of these options can be set separately for each station. (A station can be any cordless handset or the base.)

Menu option:	Use it to:	
T-coil	(Handset only) Turn on T-coil mode to reduce noise on some hearing aids (see "Do you use a T-coil hearing aid?" on page 48).	
Alarm Setting	(Handset only) Set alarms on your handset (see "Using the Alarm Feature" on page 38).	
Primary Line	Select the line you want this station to use as the default line when you make a call (see "Assigning a primary line" on page 24). Do not change this setting if you are using only one line.	
Ringer Tones	(Handset only) See the ring tones the handset is using as the main ring tone for each line. To change the tone, select the line, then choose a ring tone from the list. (As you highlight each ring tone, the phone plays a sample of the tone. When you hear the tone you want, press	
Personal Ring	(Handset only) Turn on the personal ring feature. If you have Caller ID, this feature lets you assign special ring tones to anyone in your phonebook: this handset will use the special ring tone when that person calls.	

Menu option:	Use it to:	
Autotalk	(Handset only) Turn on Auto Talk so you can answer the phone just by picking up the handset from the cradle (without having to press any buttons).	
Any Key Answer	(Handset only) Turn on Any Key Answer so you can answer the phone by pressing a key on the twelve-key dial pad.	
Banner	(Handset only) Change the name used on the handset's display. Enter any name up to 10 characters.	
LCD Contrast	Change the contrast of the display.	
Key Touch Tone	Have the keypad sound a tone when you press a key.	

The Clock Setup Menu

You must set the date and time if you want to use the handset's alarm feature; setting the clock will also ensure the answering system stamps your messages with the correct time and day. You can set the clock from the base or any cordless handset.

- 1. Open the menu and select Clock Setup.
- 2. Use the numbers on the twelve-key dial pad to enter the date.
- Move the cursor to the next line, then use the dial pad to enter the time.
- 4. Press ★ to switch between AM and PM; when you're finished, press SAVE.

The Global Setup Menu

The settings on this menu are separate for each line: changing the settings for line 1 will not affect line 2, and vice versa. However, the settings for each line apply to all stations whenever they use that line.

Before changing these settings, make sure the phone is in standby and all handsets are within range of the base. (Only one station at a time can change these settings.)

When you select the *Global Setup* menu, the phone prompts you to select *Line 1* or *Line 2*. Then, you can choose one of the following options to change the global settings for that line:

Menu option:	Use it to:	
Set Line Mode	Do not change this setting unless instructed to by customer service.	
VMWI Reset (Base only)	Reset the voice message waiting indicator to bring it back into sync with your voice mail service (see "Using Voice Message Notification" on page 39).	
Insert 0	This feature adds "0" or "00" at the beginning of the number received from Caller ID. The default setting for New Zealand is ON. The default setting for Australia is OFF.	

Special Feature Menus

The following menus control specific features of your phone. These menus are explained under the section that describes the feature in detail:

Menu:	Use it to:	For details, see:
Retrieve Msg (handset only)	Access your answering system from a cordless handset	"Getting Your Messages" on page 42
Ans. Setup	Change the settings for the answering system on each line.	"Ans. Setup menu options" on page 41
Call Blocking	View and edit the Call block list	"Using Call Block" on page 36
Register Handset (base only)	Add new handsets or reset a handset that isn't working properly.	"Resetting and registering handsets" on page 49

Using Your Phone

Working with Two Lines

When performing common tasks, you can let the station use the primary line, or you can manually choose a particular line for each task. Using the primary line makes common tasks much simpler, but you will need to assign a primary line to each station (see below).

If you want to	From a handset	From a handset speakerphone	From the base speakerphone
make a call: Dial the r - with the primary line	umber, then Press TALK/FLASH .	Press SPEAKER.	
- by choosing a line	Press LINE1 or LINE2 *		
answer a call When a call comes i - with the primary line	in, the soft keys blink to tell you which line is ringing. Press TALK/FLASH. Press SPEAKER.		
- by choosing a line	Press the soft key t	for the line you w	ant to answer.*
hang up	Press END or return the handset to the cradle.		
switch between the speaker and earpiece	Press SPEAKER.		Not available
put a call on hold	Press INTERCOM/HOLD; the soft key blinks to remind you the line is on hold. To return to the call, press the soft key (LINE1 or LINE2) for the holding line.		
switch lines during a call (automatic hold)	Press the soft key for the other line; the current call is automatically put on hold (see above). To return to the call, press the soft key for the holding line.		
mute the microphone during a call	Press MUTE. Press again to turn	the microphone	Press MUTE/EXIT . back on.
mute the ringer for this call only	While the phone is press END .	ringing,	press MUTE/EXIT.

^{*} On the handset, press **SPEAKER** to switch to the speakerphone.

Assigning a primary line (Two Line Only)

You can assign a primary line to each station; the station connects to its primary line whenever it goes off hook (that is, when you press TALK/FLASH or SPEAKER). Whenever you want, you can bypass the

primary line assignment by manually choosing line for your current task.

To assign a primary line, open the menu and select *Handset Setup* or *Base Setup*. Select *Primary Line*, then choose the line you want this station to connect to when it goes off hook:

Line 1	Always connect to line 1, regardless of either line's status.
Line 2	Always connect to line 2, regardless of either line's status.
Auto (default setting)	Connect to line 1 except under the following circumstances: - there is an incoming call on line 2 - there is a holding call on line 2 - the answering system has picked up line 2 - line 1 is being used for an active call or for screening a call If any one of these conditions is true, the station connects to line 2.

Conferencing two lines together

When you have active calls on both lines, you can join the two lines together in a conference call.

- 1. Place the first call on hold.
- 2. Switch to the other line and start the second call.
- 3. Press MENU, then select Conference.
- During a conference call, you can speak with both outside callers at the same time, and the callers can speak with each other.
- To separate the conference call back into two independent calls, press the soft key for either line. The other line is automatically put on hold, and you can switch between calls normally.
- To disconnect both callers at the same time, just hang up normally.
- To disconnect one caller at a time, select the line you want to disconnect, then hang up. Press the soft key to return to the other caller (on hold).

Other stations can also join in the conference call. See *Using Multi-station Features* on page 33 for more information.

Changing the Volume

You can set the volume of the ringer and speaker separately for the base and each handset; you can also set the earpiece volume on each handset. The available volume levels and how to change them are listed below; for each item, press **UP** to make it louder or **DOWN** to make it softer.

Change the	When	On the base	On a handset
ringer volume	the phone is in standby	Press UP or DOWN , select line 1 (single line), then select <i>Off, Low, Medium</i> , or <i>High</i>	
earpiece volume	you are on a normal call	Not available	choose one of 6 volume levels for the active line
speaker volume	you use the speaker-phone for a call or getting messages	choose one of 10 volume levels for the active line	choose one of 6 volume levels for the active line

Using the Caller ID and Redial Lists

You have to subscribe to Caller ID to use Caller ID features: contact your telephone provider for more information.

Caller ID list information	Redial list information
 When a call comes in, the phone displays the caller's number and name (if available) along with which line is receiving the call. The phone saves the information for the last 50 calls received on either line to the CID list. The phone records which line the call came in on. When it's in standby, each station displays the total number of calls received on both lines since the last time you checked the CID list. You can edit the list separately on each station. 	 Each station has its own redial list. The redial list contains the last 10 phone numbers dialed from that station. The redial list does not record which line was used to dial the number.

Using the lists

Open the CID list	Press CALLER ID/RIGHT.
Open the redial list	Press REDIAL/PAUSE.
Scroll through the CID or redial list	Press DOWN to scroll through the list from newest to oldest. Press UP to scroll from oldest to newest.
Close the CID or redial list	Press END on a handset or MUTE/EXIT on the base. (If you open the CID list during a call, press BACK to back out of the list without hanging up.)

Dialing from the CID or redial list

- 1. Find the entry you want to dial.
- 2. To dial the entry with the primary line for this station, press TALK/ FLASH or SPEAKER; to manually choose a line, press LINE1/LINE2 to dial the entry.

You can also go off hook before you open the list. Press TALK/FLASH or SPEAKER (for the primary line) or press LINE1/LINE2. Find the entry you want, then press DIAL.

Caller ID and redial menu options

Open the CID or the redial list. Find the entry you want and press OPTIONS. Choose one of the following:

Store into PB	Add the selected CID/redial list entry to this station's phonebook. The phone creates a new phonebook entry, then prompts you to edit the name and phone number; cordless handsets also prompt you to choose a personal ring (see page 30).
Store & Edit	Append the selected phone number to an existing phonebook entry. The phone prompts you to select the phonebook entry you want to add the number to, then opens that entry for editing (see page 31).
Delete Entry	Erase this entry from the CID or redial list.

Delete All	Erase all entries from this station's CID or redial list. (This doesn't affect the CID or redial lists on any other stations.)
Add Call Block	(CID list only) Add the number to the call block list (see page 36).

Using Call Waiting

- A Call Waiting call refers to a call received on a line while that line is already in use.
- Call Waiting and Caller ID on Call Waiting are services provided by your telephone company. You must subscribe to these services to use these features.
- Call Waiting is independent for each line: Call Waiting calls do not roll over to the second line.
- When you get a Call Waiting call, the phone sounds a tone and displays any CID information received for the waiting call.

For Australian Model:

◆ Press TALK/FLASH on the handset (or FLASH on the base) and then press 2 to accept the waiting call. The first caller is put on hold, and you will hear the new caller after a short pause. To return to the original caller, press TALK/FLASH (FLASH on the base) and then 2 again.

For New Zealand Model:

 Press TALK/FLASH on the handset (or FLASH on the base) to accept the waiting call. The first caller is put on hold, and you will hear the new caller after a short pause. To return to the original caller, press TALK/FLASH (FLASH on the base) again.


Finding a Lost Handset

With the phone in standby, press INTERCOM/HOLD on the base. Select the handset you want to find, or select *All* to page all handsets at the same time. The paged handset(s) will beep for 1 minute or until you

press INTERCOM/HOLD again or press TALK/FLASH followed by END on the handset.

Using the Headset

You can use a standard 2.5 mm telephone headset with your cordless handsets. To purchase additional headsets (HS910), visit our website; www.uniden.com.au for Australian model or www.uniden.co.nz for New Zealand model.



- To install a headset, remove the headset jack cover and insert the headset plug into the jack.
- Just make and receive calls as usual, and use your headset to talk to the caller after the call connects.
- When you connect a headset, the handset automatically mutes the earpiece and speaker. To re-activate the earpiece or speaker, just unplug the headset.

Using the Phonebook

Each station can store up to 100 entries in its phonebook, and each entry can have two different phone numbers.

Open the phonebook	Press PHONEBOOK/LEFT.
Scroll through the entries	Press DOWN to scroll through the phonebook from A to Z or UP to scroll from Z to A.
Jump to entries that start with a certain letter	Press the number key corresponding to the letter you want to jump to.
Quick dial the primary number for an entry	 Find the entry you want to dial. Press TALK/FLASH or SPEAKER. The phone dials with the primary line for this station.
Dial either number for an entry	 Find the entry you want to dial and press SELECT. Select one of the two phone numbers for that entry. To dial the number with the primary line for this station, press TALK/FLASH or SPEAKER; to manually choose a line, press LINE1/LINE2.
Use a speed dial number to open a phonebook entry	On the dial pad, press and hold the number assigned to the phonebook entry you want. The phone opens the phonebook and goes directly to that entry. Follow the instructions for dialing an entry above.
Close the phonebook	On the handset, press END ; on the base, press MUTE / EXIT . (If you open the phonebook during a call, press BACK to back out without hanging up.)

Setting Up Your Phonebook

Creating a new entry

Open the phonebook with the phone in standby, and press **NEW**. The phone walks you through the phonebook entry items in the order listed below. On each screen, press **OK** when you're finished editing the item or if you want to skip the item:

Edit Name	Enter the name (up to 16 characters) you want to use for this
	entry.

Edit Number1	Enter the primary number (up to 32 digits) for this entry exactly the way you would dial it. - If you need the phone to wait before sending the next set of digits, press REDIAL/PAUSE to enter a two-second pause. - If two seconds isn't long enough, you can enter as many pauses as you want. - Each pause counts as one digit (you'll see a P in the number).
Edit Number2	Enter the secondary number for this entry just like you did the primary number.
Personal Ring selection	(Handset only) Choose the ring tone you want the handset to use when this person calls. As you highlight each ring tone, the handset sounds a sample of that tone.
Speed Dial	Select the speed dial number (SPD0 through SPD9) you want to assign to this entry. - The speed dial numbers correspond to the numbers (0 through 9) on the twelve key dial pad. - Each speed dial number can be assigned to only one entry. - If the speed dial number is already assigned, the phone shows the name of the entry assigned to the number. If you want to change it, select the number, and the phone overwrites the existing assignment.

Editing an existing entry

1. With the station in standby, open the phonebook and find the entry you want.

- 2. Press OPTIONS, then choose *Edit*.
- Highlight the individual item you want to change and press
 The phone goes to the edit screen for that item.
- Edit

 Bob Smith → Edit Name

 5 987-555-1234 → Edit Number1

 123-555-9876 → Edit Number2

 Clatter → Personal ring (handset only)

 Speed Dial 4 → Edit

 Speed
 Dial
- Edit the item as described under "Creating a new entry" (above), and press OK. OR press BACK to cancel editing and return to the main entry.
- 5. Highlight the next item you want to edit and press **SELECT**. If you're finished editing this entry, press **SAVE**.

Phonebook Menu Options

Open the phonebook with the phone in standby, and press **OPTIONS** to open the phonebook menu. From the main phonebook screen, you have three options:

Create New	Add an entry to your phonebook. (See "Creating a new entry" on page 30.)
Copy All	Copy the whole phonebook to another station. (You must have at least one cordless handset to use this multi-station feature.)
Delete All	Erase all the entries in this station's phonebook. (This does not affect the entries saved on any other stations.)

If you select an individual entry and then press **OPTIONS**, you have these additional options:

Сору	Copy this entry to another station. (You must have at least one cordless handset to use this multi-station feature.)
Edit	Edit this entry. (See "Editing an existing entry" on page 31.)
Delete	Erase this entry.

Chain Dialing

- If you often have to enter a series of digits or a code number during a call, you can save that code number to a phonebook entry and use the phonebook to send the code number.
- Enter the code number (up to 32 digits) into the phonebook just like a regular phonebook entry. Be sure to enter the code number into the phonebook exactly as you would enter it during a call.

During your call, when you hear the prompt to enter the code number:

- 1. Open the phonebook and find the entry that contains your code number.
- 2. Press **SELECT** and select the number (phone number 1 or 2) you want.
- Press DIAL to transmit the code. The phone transmits the code number exactly as you entered it in the phonebook.
 OR if you change your mind, use BACK to close the phonebook.

Using Multi-station Features


The expandable base works together with the accessory handsets to give you some useful multi-station features. (A station can be any cordless handset or the base.) You must have at least one accessory handset to use the features in this section.

Expanding Your Phone

- Your base supports a total of six XDECT R005 accessory handsets, including any that were supplied with your phone.
- ◆ Your base might be compatible with other Uniden accessory handsets: please visit our website for a list of compatible handsets.
- Accessory handsets must be registered to the base before you can use them. Handsets that aren't registered display a *Handset* not registered message. For instructions on registering handsets to this base, see page 49 or refer to the manual that came with the accessory handset.
- Any accessory handsets that came packaged with the base are already registered to that base for you.
- If a handset was previously registered to a base, you have to reset it so you can register it to a new base (see page 49 for XDECT R005 handsets).

Using Multi-Station Conference Calling

- When an outside call comes in on either line, the base and four cordless handsets can join in a six-way conference call with the outside caller.
- To join a call in progress, just connect to the active line (press LINE1 or LINE2).



- To leave a conference call, hang up normally; all other stations remains connected to the call.
- ◆ If you conference line 1 and line 2 together (see page 25), the base and four cordless handsets can hold a seven-way call with both outside callers at the same time.
- You can also use the speakerphone for a conference call, just like you can with a normal call.

Using Privacy Mode

You can prevent other stations from joining a call. Start your call as usual, then press **MENU** and select *Call Privacy*. When you hang up, privacy mode turns off automatically.

As long you have privacy mode on, no other stations can interrupt your call (you'll see a **P** in the handset display and a **P** in the base display). To allow another station to join the call, just turn privacy mode off by repeating the process above (press **MENU** and select *Call Privacy*).

Using Call Transfer

То	From the base	From a handset
transfer a call	 Press INTERCOM/HOLD to put the call on hold. Select the station you want to transfer the call to, or select All to page all the stations at the same time. When the other station accepts the call, you'll be disconnected, but you can join the call again. 	
cancel a transfer	Press SPEAKER to return to the call.	Press TALK/FLASH to return to the call.
accept a transferred call	 To answer the page and speak to the transferring station, press INTERCOM/HOLD. To accept the call, press the soft key (LINE1 or LINE2) for the holding line. 	

Using the Intercom

Here are some things you need to know about using the intercom:

- Whenever the phone is in standby, you can make an intercom call between stations without using the phone line.
- You can make an intercom call from any station, but only two stations can be in an intercom call at any time.
- If an outside call comes in during an intercom call, the phone shows the CID information. If the other station hasn't answered the page, the phone cancels the page so you can answer the incoming call.

То	From the base	From a handset
make an intercom page	1. Press INTERCOM/HOLD. 2. Select the station you want to talk with, or select All to page all the stations at the same time.	
cancel a page	Press INTERCOM/HOLD.	Press END.
answer an intercom page	Press INTERCOM/HOLD.	Press INTERCOM/HOLD or TALK/FLASH.
leave an intercom	Press INTERCOM/HOLD.	Press END .
answer an outside call during an intercom call	Press the soft key (LINE1 or want to answer. The phone a the intercom call and connect	utomatically disconnects

Using Special Features

Using Do Not Disturb

- ◆ The *Do Not Disturb* or *DND* feature turns off the ringers of the base and all handsets at the same time.
- With the phone in standby, press and hold DO NOT DISTURB on the base. The phone automatically turns on the answering system and shows Do Not Disturb in the display on all stations.
- ◆ To cancel, press DO NOT DISTURB again.

If you turn the answering system off while DND is on, the phone turns off DND along with the answering system.

Using Call Block

If you subscribe to Caller ID, you can block incoming calls by adding numbers to the call block list.

- When either line receives a call, the phone compares the received phone number to the numbers on the call block list. If the phone number is on the list, the phone replaces the caller's name with Call Blocked and disconnects the call. (The caller hears a reject message.)
- The call block list holds 20 entries; this list applies to all stations and both lines.
- You can add a number to the call block list through the CID list options (select Add Call Block), or through the Call Blocking menu (select New Entry).
- Only one station can edit the call block list at a time.

Call Blocking menu options

With the phone in standby, open the menu and select *Call Blocking*. Choose one of these options:

View Number	See the numbers on your call block list.
Create New	Add an entry to your call block list. The phone will prompt you to enter a name (optional) and phone number.
Private Number	Block all calls from numbers reported by CID as "Private." (This does not count as one of the 20 entries.)
Unknown Number	Block all calls from numbers reported by CID as "Unknown". (This does not count as one of the 20 entries.)

Add Caller ID number to Call block list

With the phone in standby, open the Caller ID list and find the entry you want. Press [OPTIONS] to open the individual entry menu. Choose Add Call Block to copy the number into the Call block list.

Call block entry options

With the phone in standby, open the call block list and find the entry you want. Press **OPTIONS** to open the individual entry menu. Choose one of these options:

Edit	Edit this entry. The phone will prompt you to edit the name and phone number.
Delete Entry	Erase this entry from the list and allow calls from this number.

Using the Alarm Feature

You can set 3 different alarms on each cordless handset so your phone can remind you of important events. When an alarm is set, the alarm icon ((3)) appears on the top of the screen.

Setting an alarm

1. Open the menu and select *Handset Setup*.

2. Select Alarm Setting, then select the alarm (Alarm1, Alarm2, or

Alarm3) you want to set.


larm 3. To turn on the alarm. Time settingselect On. The phone goes to the alarm Repeat settingedit screen. Ringer setting—No Selection 4. Highlight the time

setting and press SELECT.

- 5. Use the number keys to set the time you want the alarm to ring; press OK when you're finished.
- 6. Highlight the repeat setting and press **SELECT**. Select how often you want the alarm to ring—once only (1 time), every day (Daily), or on a weekly basis (Select Days)—then press OK.

7. If you choose Select Days, the handset prompts you to choose

which days of the week the alarm should ring. To choose a day, highlight it and press SELECT; a check mark appears beside that to show that it is selected. Select as many days as you want, then press



- 8. Highlight the ringer setting and press **SELECT**.
- 9. Select the ring tone you want the alarm to use, then press OK.
- 10. When you are finished setting all the alarm options, press SET to activate the alarm. The time and repeat setting will show on the main Alarm Setting screen. (If you selected specific days, the repeat setting displays as Weekly.)



When an alarm rings

When the day and time on the phone matches the day and time of an alarm setting, the handset sounds the selected tone and displays the alarm screen.



- ◆ The alarm will ring for three minutes. To turn off the alarm, press END. When the phone prompts you to confirm, press OK.
- ◆ To temporarily turn off the alarm, press SNOOZE (or just let the alarm ring for the three minutes). The alarm will ring again in five minutes.
- ◆ To cancel snooze, press **END** the next time the alarm rings. When the phone prompts you to confirm, press **OK**.

Using Voice Message Notification

This feature supports Frequency-Shift Keying (FSK) message notification. Contact your voice mail provider for more details.

If you subscribe to a voice mail service, your phone can notify you when you have a new message waiting on either line. When you have new messages, the voice message icon (M) appears in the display, and the new message light (at the top of the handset) blinks.

Resetting the voice message indicator If the voice message icon remains after you check your messages, you can reset it from the base:



- 1. Open the menu and select Global Setup.
- 2. When the phone prompts you to select a line, select *Line 1* or *Line 2*.
- 3. Select VMWI Reset, then select Yes to reset the indicator.

Using the Answering System

Each line has a separate answering system. Whenever you access the answering system, the phone prompts you to choose a line. After that, any settings or operations will affect only the answering system for that line. For example, deleting all the messages from the answering system from line 1 does not affect any messages on the answering system for line 2.

Setting Up Your Answering System

Recording your outgoing message

Your personal outgoing message or greeting can be between 2 seconds and 30 seconds long. If you don't want to record an outgoing message, the system will use its pre-recorded greeting:

Hello, no one is available to take your call. Please leave a message after the tone.

To record your greeting:

- 1. Open the menu and select Ans. Setup.
- 2. Select Line 1 or Line 2, then select Record Greeting.
- 3. Press **START**. Wait for the system to say "Record greeting" and then and begin your recording.
- 4. When you're finished, press STOP. The system plays back your new greeting.
- To keep this greeting, press OK again. To delete it and try again, press DELETE.

Switch between the pre-recorded greeting and your greeting

- 1. Open the menu and select Ans. Setup.
- 2. Select Line 1 or Line 2, then select Greeting Options.
- 3. The system plays back the current greeting (personal or prerecorded) for this line. Press **CHANGE** to switch greetings or **OK** to keep the current greeting.

Delete your greeting

- 1. Open the menu and select Ans. Setup.
- 2. Select Line 1 or Line 2, then select Greeting Options.
- 3. While the system plays back the current greeting, press **DELETE** to erase the personal greeting for this line. (You can't erase the pre-recorded greeting.)

Ans. Setup menu options

You can change the answering system options separately for each line. When you select the *Ans. Setup* menu, the phone prompts you to select *Line 1* or *Line 2*. Then, you can choose one of the following options to change the answering system settings for that line:

Security Code	Enter a 2-digit PIN so you can access your answering system from any touch-tone phone (see page 44).
Ring Time	Set the number of rings (6, 9, or 12) before the answering system answers the phone. Choose <i>Toll Saver</i> to have the system pick up after 2 rings if you have new messages or after 4 rings if you don't.
Record Time	Set the amount of time callers have to leave a message, either 1 minute or 4 minutes. Choose Announce Only if you don't want the system to let callers to leave a message.
Message Alert	Have the system beep about every 20 seconds when you have a new message; the beeping stops when you listen to all your new messages. (To mute the alert without listening to your messages, press any key on the base.)
Call Screen	Turn on the call screen feature so you can hear callers as they leave messages on the base speaker (see page 43).
Ans. On/Off	Turn your answering system on or off. (To turn your system on or off from the base, just press ON/OFF .)
Record Greeting	Record a personal greeting (see page 40).
Greeting Options	Switch between your personal greeting and the pre- recorded greeting or delete your personal greeting (see page 40).

Getting Your Messages

Accessing your system from a handset (remote operation)

You can access your system from a handset whenever the phone is in standby. Only one handset at a time can access the system through remote operation, and you can't use remote operation if the base is using the answering system.

- ◆ To start remote operation, open the menu and select *Retrieve Msg*. When the phone prompts you to select a line, press LINE1 or LINE2
- During remote operation, the handset beeps to let you know it's waiting for your next command. If you don't press any keys for 30 seconds, the phone returns to standby.
- The icons on the handset's number keys and display show you which number key activates each answering system command; these commands correspond to the answering system keys on the base:

Icon	Command Name	Handset key	Base key
	Play	2	PLAY/STOP
	Stop	5	PLAY/STOP
I ◀◀	Repeat	1	PHONEBOOK/LEFT
>>	Skip	3	CALLER ID/RIGHT
Ø	Delete	4	DELETE

How to operate your answering system

То	From the base	From a handset (during remote operation)
play new messages	Press PLAY/STOP then select a line. The system announces the number messages, then plays the first new the day and time it was received. The new messages in the order the	r of new and old message followed by hen the system plays
restart the current message	Press PHONEBOOK/LEFT.	Press 1.

То	From the base	From a handset (during remote operation)
replay previous messages	Press PHONEBOOK/LEFT repeatedly until you hear the message you want to replay.	Press 1 repeatedly until you hear the message you want to replay.
skip a message	Press CALLER ID/RIGHT.	Press 3.
delete a message	While the message is playing, press DELETE .	While the message is playing, press 4 .
delete all of your messages	With the phone in standby, press DELETE . When the system prompts you to select a line, press LINE1 or LINE2 .	Not available.
play old messages		
exit the system	Press PLAY/STOP.	Press END .

Screening Your Calls

Another feature your answering system gives you is *call screening*. While the system is taking a message, you can hear the caller on the base speaker (if you turn on *Call Screen*) or from a handset.

То	From the base	From a handset
hear the caller leaving a message	Just listen to the caller over the speaker.	Press SCREEN
answer the call	Press SPEAKER.	Press TALK/FLASH.
mute the call screen without answering	Press MUTE/EXIT.	Press MUTE

- If you mute the call screen, the system continues taking the message: it just stops playing through the speaker.
- Only one handset at a time can screen calls. If another handset tries to screen the call, the handset sounds an error tone and displays a System Busy message.

Using the System While You're Away from Home

You can also operate your answering system from any touch-tone phone. Before you can use this feature, you have to program a security code.

Programming a security code

- 1. With the phone in standby, open the menu and select *Ans. Setup*.
- 2. When the phone prompts you to select a line, select *Line 1* or *Line 2*, then select *Security Code*.
- 3. Use the number keypad to enter a two-digit security code (00 to 99). Press ok when you're finished.

Remember to make a note of your new security code!

Dialing in to your system

- Call your telephone number and wait for the system to answer. (If your answering system is off, it will answer after about fifteen rings and sound a series of beeps instead of your greeting.)
- 2. During the greeting (or beeps), press # and immediately enter your security code. (You have 3 tries to enter you security code: if you enter it wrong 3 times, the system hangs up and returns to standby.)
- 3. The system announces the current time, the number of messages stored in memory, and a help prompt. Then it starts beeping intermittently to let you know it's waiting for your command.
- 4. When you hear the intermittent beeping, enter a command from the chart to the right.

If you don't press any keys for 15 seconds, the phone will hang up and return to standby.

#-1	Repeat message
#-2	Play message
#-3	Skip message
#-4	Delete message
#-5	Stop playback
#-6	Turn the system on
#-9	Turn the system off
#-0	Hear help prompts

Solving Problems

If you have any trouble with your phone, try these simple steps first. If you still have a question, call our Customer Care Line listed on the front cover.

If	Try
No stations can make or receive calls.	- Checking the telephone cord connection Disconnecting the base AC adapter. Wait a few minutes, then reconnect it.
One cordless handset can't make or receive calls.	- Moving the handset closer to the base Resetting the handset.
A station can make calls, but it won't ring.	- Making sure the ringer is turned on.- Making sure Do Not Disturb is turned off (see page 36).
I can't make or receive calls on line 2.	 - Making sure line 2 is properly connected (see page 2). - Seeing if another station has activated Privacy Mode on line 2. - Making sure you have subscribed to 2 separate lines from your phone company.
I can't conference line 1 and line 2 together.	- Seeing if another station has activated Privacy Mode on one of the lines (see page 34).
A cordless handset's display won't turn on.	- Charging the battery for 15-20 hours Checking the battery pack connection.
A cordless handset is not working.	- Charging the battery for 15-20 hours Checking the battery pack connection Resetting the handset.
A cordless handset says <i>Unavailable</i> .	 Moving the handset closer to the base. Seeing if another station has Privacy Mode on (see page 34). Making sure the base is plugged in.

If	Try
No stations will display any Caller ID information.	- Letting calls ring at least twice before answering Seeing if the call was placed through a switchboard Checking with your telephone service provider to make sure your Caller ID service is active.
Caller ID displays briefly and then clears.	- You may have to change the line mode. Contact customer service for more information.
I can't transfer calls.	- Resetting all the handsets (see page 49).
I can't get two cordless handsets to talk to the caller.	- Making sure both handsets are registered to this base. - Making sure no station is in Privacy Mode (see page 34).
The phone keeps ringing if I answer on an extension.	- You may have to change the line mode. Contact customer service for more information.
I can't save a number to an existing phonebook entry.	- Seeing if the number is already in the phonebook Seeing if that entry already has two phone numbers.
The answering system does not work.	- Making sure the answering system is turned on Making sure the base AC adapter is not plugged into an that's controlled by a wall switch.
The answering system won't record messages.	Making sure the Record Time is not set to Announce Only (see page 41). Deleting messages (the memory may be full).
A handset can't access the answering system.	Making sure no other handset is using the system. Making sure the phone is in standby.
My outgoing message is gone.	- Seeing if there was a power failure. You may have to re-record your personal outgoing message.
I can't hear the base speaker.	- Making sure call screening is turned on (see page 41) Changing the base speaker volume.

If	Try	
Messages are incomplete.	The incoming messages may be too long. Remind callers to leave a brief message.Deleting messages (the memory may be full).	
The system keeps recording if I answer on an extension.	- You may have to change the line mode. Contact customer service for more information.	
I can't register a handset.	Seeing if there are 10 handsets registered to this base. Resetting the handset.	
My alarm rings at the wrong time.	- Making sure the time is set correctly (see page 22).	
My alarm won't ring on the right day(s).	, , , , , , , , , , , , , , , , , , , ,	

Weak or Hard To Hear Audio

If a caller's voice sounds weak or soft, the signal might be blocked by large metal objects or walls; you might also be too far from the base, or the handset's battery may be weak.

- Try moving around while you're on a call or moving closer to the base to see if the sound gets louder.
- Make sure the handset's battery is fully charged.
- Try adjusting the earpiece volume.

Noise or Static On The Line

Interference is the most common cause of noise or static on a cordless phone. Here are some common sources of interference:

- electrical appliances, especially microwave ovens
- computer equipment, especially wireless LAN equipment and DSL modems

 radio-based wireless devices, such as room monitors, wireless controllers, or wireless

headphones or speakers

- large fluorescent light fixtures (especially if they give off a buzzing noise)
- other services that use your phone line, like alarm systems, intercom systems, or broadband Internet service

Do you use a T-Coil hearing aid?

If you have a hearing aid equipped with a telecoil (T-coil) feature, the interaction between the hearing aid and digital cordless phones can cause noise in the handset. If you have a T-coil hearing aid and you have problems with noise on the line, try turning on *T-coil* mode. Open the menu; select *Handset Setup*, then select *T-coil*.

Using T-coil mode can shorten the handset's talk time; make sure to watch the battery status and keep the battery charged.

Here are some hints for when the static is...

on 1 handset or in 1 location:


- Check nearby for one of the common interference sources.
- Try moving the handset away from a suspected source, or try moving the suspected source so it's not between the handset and the base.
- Try moving closer to the base. There is always more noise at the edges of the base's range. If the handset displays an Out of Range message, you need to move closer to the base.

on all handsets or in all locations:

- Check near the base for the source of interference.
- Try moving the base away from a suspected source, or turn off the source if possible.
- If the base has an adjustable antenna, try raising the antenna so it stands straight up.
- If you have any service that uses the phone line, you might need a filter (see below).

Installing a line filter or DSL filter

Sometimes, broadband Internet services that use the telephone line can interfere with phones. One of these services -DSL- often causes static on telephones. A DSL filter or



telephone line filter usually solves this problem. The technician who installed your DSL service might have left some filters for you; if not, call your DSL provider or look in any electronics store.

Plug the DSL filter into the telephone wall jack and plug your phone's base into the filter. Make a test call to make sure the noise is gone.

Resetting and Registering Handsets

If you are having trouble with a cordless handset or if you want to replace one, you need to clear the registration information from the base and the handset:

Do you have the base the handset is registered to?					
Yes	No				
 Press and hold END and # until the System Reset menu appears (about 5 seconds). Select Deregister HS. The display lists all registered handsets. Select the handset you want to reset. When the handset asks you to confirm, select Yes. (It may ask you twice, just to be sure.) The handset clears its information from the base and deletes its own link to the base. 	 Press and hold END and # until the System Reset menu appears (about 5 seconds). Select Base Unavailable. When the handset asks you to confirm, select Yes. (It may ask you twice, just to be sure.) The handset deletes its own link without contacting the base. 				

When you reset a handset (or if you buy a new one), that handset displays a *Handset Not Registered* message. If you see this message on a handset, you need to register it to a base before you can use it.

Registering a handset

Does the handset fit in the base cradle?			
Yes	No		
Place the handset in the base. The display should say <i>Handset Registering</i> .	 On the base, open the menu and select Register Handset. On the handset you want to register, press and hold # until the display says Handset Registering (about 2 seconds). 		

In about 30 seconds, the handset display should say *Registration Complete*. Press **TALK/FLASH** and make sure you get a dial tone.

If	Try
	Making sure the handset is fully charged, then start over at step 1.

To register a handset to a different base, see the section "Expanding Your Phone" in the owner's manual for the other base.

Registering Repeaters

If you are having trouble with a repeater or if you want to replace one, you need to register the repeater to the base.

TIP: Connect the repeater close to the base for easy access to the necessary buttons and indicators. Locate the repeater in the desired position after registration is complete.

- 1. On the base, open the menu and select Register Handset.
- 2. On the bottom of the repeater you want to register, press and hold the registration button until the **LINK** light blinks rapidly.



3. In about 90 seconds, the **LINK** light on the repeater will turn on. The repeater has been registered to the base.



If the **LINK** light doesn't turn on, try these steps again.

- Only register one repeater at a time. If more than one repeater is in registration mode at the same time then they can interfere with each other.
- Only register a repeater to one base at a time. If more than one base is in registration mode at the same time then you can't control which base the repeater registers to.

Handling Liquid Damage

Moisture and liquid can damage your cordless phone.

- If the handset or base is exposed to moisture or liquid, but only the exterior plastic housing is affected, wipe off the liquid, and use as normal.
- If moisture or liquid has entered the plastic housing (i.e. liquid can be heard in the phone or liquid has entered the handset battery compartment or vent openings on the base), follow these steps:

Handset	Base	
Remove the battery cover and disconnect the battery.	Disconnect the AC adapter to cut off the	
2. Let dry for at least 3 days with the battery disconnected and the cover off for ventilation.		
3. After the handset dries, reconnect the battery pack and replace the cover. Recharge the battery fully (15-20 hours) before using.	telephone cord. 3. Let dry for at least 3 days before reconnecting.	

IMPORTANT: You must unplug the telephone line while recharging the battery pack to avoid charge interruption.

CAUTION! DO NOT use a microwave oven to speed up the drying process. This will cause permanent damage to the handset, base and the microwave oven.

Important Information

Terms Used In This Manual

Accessory Handset	An extra handset that can register to and be used with an expandable phone base. All accessory handsets must be registered to a base.	
Base	The main part of the phone. It connects to your phone line and lets you make and receive calls. Most bases also have a cradle to store a handset.	
CIDCW	(CID on Call Waiting.) A service that shows CID for calls that come in during another call.	
Call Waiting	A service that lets you receive calls while you are on another call.	
Caller ID	(Also called CID.) A service that shows the name and number of incoming callers.	
Charger	A cradle that stores and charges a handset but doesn't connect to the phone line.	
Cradle	The part of the phone that stores a handset. While in a cradle, a handset is always in standby, and any keys are locked.	
During a call	The station is currently on a call or has activated a dial tone.	
Handset	A cordless handset that you use to dial the phone and talk to callers.	
In standby	The phone is inactive: there is no dial tone, no station is on a call or listening to messages.	
Line 1 and Line 2	Line 1 is connected to PRIMARY LINE , and line 2 is connected to TEL LINE 2 . You can switch Line 1 and Line 2 just by swapping the connectors.	
Off hook	The phone is connected to an outside line: there is a dial tone or an ongoing call.	
Soft key	A software-controlled button that can change its function to fit the current operation.	
Station	Any handset or the base.	

Specifications

opecinications				
	Base	Repeater/Charger		
Part number	AAD-041S(M)	AAD-041S(M)		
Input voltage	240V AC, 50Hz	240V AC, 50Hz		
Output voltage	9V DC@ 350mA	9V DC@ 350mA		
Part number	BT-694 or BT-694s			
Capacity	650mAh (BT-694) or 500mAh (BT-694s)			
	Part number Input voltage Output voltage Part number	Base Part number AAD-041S(M) Input voltage 240V AC, 50Hz Output voltage 9V DC@ 350mA Part number BT-694 or BT-694s		

- Use only the supplied AC adapters.
- Be sure to use the proper adapter for the base and any chargers.
- Do not place the power cord where it creates a trip hazard or where it could become chafed and create a fire or electrical hazard.
- Do not place the base in direct sunlight or subject it to high temperatures.

Battery Information

- Fully charged, the battery should provide about 8 hours of talk time and about 7 days of standby time. For best results, return the handset to the cradle after each call to keep it fully charged.
- Keep an eye on the battery status icon. When the battery gets too low, the handset shows a low battery alert. If you hear a strange beep during a call, check the display: if you see the low battery alert, finish your conversation as quickly as possible and return the handset to the cradle. If the handset is in standby, none of the keys will operate.
- With normal use, the battery should last about one year. Replace the battery when the talk
 time becomes short even when the battery is charged. To buy a replacement battery, visit the
 website; www.uniden.com.au for Australian model or www.uniden.co.nz for New Zealand model.

Rechargeable Nickel-Metal-Hydride Battery Warning

CAUTION! Risk of explosion if battery is replaced by an incorrect type! Dispose of used batteries according to the instructions. Do not open or mutilate the battery. Disconnect the battery before shipping this product.

- This equipment contains a rechargeable Nickel-Metal-Hydride battery.
- The rechargeable batteries contained in this equipment may explode if disposed of in a fire.
- Do not short-circuit the battery.
- Do not charge the rechargeable battery pack used in this equipment with in any charger other than the one designed to charge this battery pack as specified in the owner's manual. Using another charger may damage the battery pack or cause the battery pack to explode.

Rechargeable Batteries Must Be Recycled or Disposed of Properly.

Uniden works to reduce lead content in PVC coated cords in our products & accessories.

Index Liquid Damage......51 Low Battery Alert......53 M Making a call24 Answering a Call24 Making a call from a Caller ID Answering System 40 Record27 Any Key Answer22 Making a call with Speed Dial......30 AutoTalk......22 Message Alert41 R Muting the Microphone24 Muting the Ringer24 Battery Install5 0 Battery Specifications 52 Out of Range.......48 Battery Information53 P C Personal Ring 21, 31 Placing a Call on Hold24 Privacy Mode34 Controls Parts of the Phone............ 11, 13 R Redialing a Number27 D Register Handset49 Date and Time 22 Register Repeater......50 Deleting a Redial Record......27 Repeaters 8 Deleting Caller ID Numbers27 Resetting the Handset49 Deleting Phonebook Entries32 Ringer Tones21 S F Entering Text from the Phone 19 Security Code 41, 44 F Finding a handset 28 т Handset Banner......22 Talk and Standby Times 6. 53 Transferring a Call34 Troubleshooting45 Important Safety Instructions 4 Installing the Phone 1 Voice Mail 23, 39 Voice Message Waiting Indicator K Key Touch Tone......22 W Keypad Lock14 Wall Mount the Base......3 Wall Mount the Repeater/Charger 4 LCD contrast......22

One-year Limited Warranty

UNIDEN XDECT R055

IMPORTANT Satisfactory evidence of the original purchase is required for warranty service

Please refer to our Uniden website for any details or warranty durations offered in addition to those contained below.

Warranto

The warrantor is either Uniden Australia Pty Limited ABN 58 001 865 498 ("Uniden Aust") or Uniden New Zealand Limited ("Uniden NZ") as the case may be.

Terms of Warranty

Uniden Aust/NZ warrants to the original retail purchaser only that the XDECT R055 ("the Product"), will be free from defects in materials and craftsmanship for the duration of the warranty period, subject to the limitations and exclusions set out below.

Warranty Period

This warranty to the original retail purchaser is only valid in the original country of purchase for a Product first purchased either in Australia or New Zealand and will expire one (1) year from the date of the original retail sale.

If a warranty claim is made, this warranty will not apply if the Product is found by Uniden to be:

- (A) Damaged or not maintained in a reasonable manner or as recommended in the relevant Uniden Owner's Manual;
- (B) Modified, altered or used as part of any conversion kits, subassemblies or any configurations not sold by Uniden Aust or Uniden NZ;
- (C) Improperly installed contrary to instructions contained in the relevant Owner's Manual
- (D) Repaired by someone other than an authorized Uniden Repair Agent in relation to a defect or malfunction covered by this warranty; or
- (E) Used in conjunction with any equipment, parts or a system not manufactured by Uniden.

Parts Covered

This warranty covers the Product and included accessories.

User-generated Data

This warranty does not cover any claimed loss of or damage to user-generated data (including but without limitation phone numbers, addresses and images) that may be stored on your Product.

Statement of Remedy

If the Product is found not to conform to this warranty as stated above, the Warrantor, at its discretion, will either repair the defect or replace the Product without any charge for parts or service. This warranty does not include any reimbursement or payment of any consequential damages claimed to arise from a Product's failure to comply with the warranty.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This warranty is in addition to and sits alongside your rights under either the COMPETITION AND CONSUMER ACT 2010 (Australia) or the CONSUMER GUARANTEES ACT (New Zealand) as the case may be, none of which can be excluded.

Procedure for Obtaining Warranty Service

Depending on the country in which the Product was first purchased, if you believe that your Product does not conform with this warranty, you should deliver the Product, together with satisfactory evidence of your original purchase (such as a legible copy of the sales docket) to Uniden at the addresses shown below. You should contact Uniden regarding any compensation that may be payable for your expenses incurred in making a warranty claim. Prior to delivery, we recommend that you make a backup copy of any phone numbers, images or other data stored on your Product, in case it is lost or damaged during warranty service.

UNIDEN AUSTRALIA PTY LTD

Service Division 345 Princes Highway, Rockdale, NSW 2216 Phone number: 1300 366 895

Email address: custservice@uniden.com.au

UNIDEN NEW ZEALAND LTD

Service Division 150 Harris Road, East Tamaki Auckland 2013

Phone number: (09) 273 8377

Email address: service@uniden.co.nz

