



Uniden Australia Pty Ltd

73 Alfred Road
Chipping Norton 2170 NSW
Tel: 02 9599 3355 | Fax: 02 9599 4018
www.uniden.com.au



[Angle View](#)
[Front View](#)
[Back View](#)



UDC-5M

5.1 Megapixel Compact Digital Camera

PRINT this page

EMAIL a friend

Range Brochure PDF

Operating Manual PDF

Introducing Uniden's new range of Digital Compact Cameras.

Combining 5.1 effective megapixels of impressive digital quality with the very latest in sophisticated styling, the UDC-5M is exceptional in both design and performance.

You will never have to miss capturing those precious moments again, as you can now take up to 300 quality photos with the convenience of the two AA batteries.

Enjoy picture perfect images with the outstanding capabilities of the Automatic Image Stabiliser – combining the latest in anti-blur technology with 3x optical zoom lens to bring you sharper, clearer results. Taking and reviewing your photos and movie clips couldn't be any easier with the UDC-5M, which also features a huge 2.5-inch LCD monitor and a selection of 15 Automated Shooting Modes.

Available in a stylish silver finish, the UDC-5M brings together the best of both elegant styling and outstanding features to bring you the ideal in digital cameras.

[TOP](#)

Key Features

5.1M High Density Digital Images

5.1 mega pixel CCD for High Quality images and suitable for printing 16" X 20" pictures..

Super Long Battery Life

The UDC-5M allows you to take 300 Quality photos using 2 AA batteries (CIPA Standard).

Automatic Image Stabiliser

Anti-blur technology (High Sensitivity Mode ISO 800 to achieve optimum image quality).

High Quality 3 X Optical Zoom

35-105mm (35mm equivalent) lens for incredibly sharp, clear images plus a 4 X digital zoom for a total zoom of 12 times.

Large 2.5" TFT LCD Monitor

Large viewing area makes taking shots and reviewing images easy

Records High Quality Video

Can capture VGA (640 X 480) video at 30 frames per second as a QuickTime Motion JPEG (mov).

PictBridge™ Compatible

Use the included USB cable to connect to any PictBridge™ enabled printer. Images can be printed directly from the camera.

15 Automated Shooting Modes

Set the camera to take photos in your choice of 15 different modes so you can get the best results. Supported Modes include: Auto, Sports, Portrait, Flowers, Landscape, Night Portrait, Fireworks, Lamp, Blur-Reduction, Cosmetic, Monochrome, Sepia, Sharpness, Contrast and Vivid

11 Language Support

English, Japanese, French, Spanish, German, Italian, Chinese (Simplified), Chinese (Normal), Korean, Russian, Dutch

USB 2.0 Supported

Built-In Flash with Red Eye Reduction

26 MB Internal Memory Stylish Compact Design

Designed and Engineered in Japan**Additional Features****CCD**

Effective Pixels:	5.1 million pixels
Size:	1/ 2.5 inch
Colour Filter:	Primary Colour (RGB)

LENS, APERTURE & SHUTTER

Focal Length:	5.8 □ 17.4 mm (35mm film equivalent: 35-105mm)
Optical Zoom:	3x
Digital Zoom:	4x
Focusing:	Normal: (Wide) 10cm-infinity, (Tele): 40cm-infinity
Range:	Macro: (Wide) 5cm-70cm, (Tele): 40-70cm
Shutter Speed:	2 – 1/1500 sec
Sensitivity:	AUTO, ISO 64/100/200/400/800 (ISO 1600 □ lamp mode)
Automated Scene Modes:	15 Modes: Auto, Sports, Portrait, Flowers, Landscape, Night Portrait, Fireworks, Lamp, Blur-Reduction, Cosmetic, Monochrome, Sepia, Sharpness, Contrast, Vivid

LCD MONITOR

Monitor Type:	2.5-inch Amorphous TFT colour LCD
LCD Pixels:	Approx. 115,000 pixels

WHITE BALANCE

White Balance Mode:	Auto, fine, cloudy, fluorescent, tungsten, one push
---------------------	---

FLASH

Built-In Flash:	Auto (automatic activation in low and backlight), Red-Eye Reduction, Fill-In (forced activation), Off (no flash)
Flash Range:	0.4m □ 3.0m (Wide) 0.4m □ 1.7m (Tele)
Charging Time:	Approx. 6.5 sec

IMAGE STORAGE

Storage Media:	SD Memory Card. MultiMedia Card
Image Format:	Still Image: Exif 2.2 (JPEG), DPOF Version 1.1 (Digital Print Order Format) Movie: MOV (Image: Motion JPEG)
Number of Recording Pixels:	Still Image: 5MP: 2592 x 1944 3MP: 2048 x 1536 1MP: 1024 X 768 0.3MP: 640 X 480 Movie: TV: 640 x 480 (30 fps) WEB: 320 x 240 (15 fps)

PLAYBACK SPECIFICATIONS

Playback Mode:	Still Image: Single, Index (9 thumbnail), Magnification (max 16.2x), Slide Show Movie: Normal, Playback, Fast Forward, Slow, Reverse, Pause, Extract a Still Image
Erase Modes:	Erase Single Files, All Files

INTERFACES

Computer Interface:	USB 2.0 Full Speed
Video Out:	NTCS/PAL
Audio Out:	None
Other:	SD Memory Card slot

SETUP

Auto Power Off:	Capture mode: 1, 3, 5 or 10 minutes Play mode: 1, 3, 5, 10 or 30 minutes
Date / Time Stamp:	Captured with image or added for printing
Language:	11 languages – English, Japanese, French, Spanish, German, Italian, Chinese (simplified), Chinese (normal) Korean, Russian, Dutch

POWER SUPPLY

Power Source:	AA-size Alkaline Battery (x2)
Shooting Capacity:	Still Image: approx. 300 shots*

PHYSICAL SPECIFICATIONS

Operating Environment:	Temperature: 0-40° C Humidity: 30-85%
Dimensions:	W x H x D: 88.7 mm x 59.7 mm x 23.1 mm
Weight:	123g w/o battery card

OTHER

Included Contents:	1 x UDC-5M Digital Camera, 2 x AA Alkaline Battery, 1 x Wrist Strap, 1 x Video Connection Cable, 1 x USB Cable, 1 x Owners Manual, 1 x Safety Manual
Optional Accessories:	SD Memory Card: 512MB, 1GB, 2GB
Internal Memory:	26MB Internal Memory

* CIPA Standard (using a 64MB SD Memory Card) Specifications subject to change without notice

[TOP](#) 