




Uniden Australia Pty Ltd

73 Alfred Road  
Chipping Norton 2170 NSW  
Tel: 02 9599 3355 | Fax: 02 9599 4018  
www.uniden.com.au



[Angle View](#)  
[Front View](#)  
[Back View](#)



## UDC-7M Silver

### 7.1 Megapixel Compact Digital Camera

PRINT this page

EMAIL a friend

Range Brochure PDF

Operating Manual PDF

Introducing Uniden's new range of Digital Compact Cameras.

Combining 7.1 effective megapixels of impressive digital quality with the very latest in sophisticated styling, the UDC-7M is exceptional in both design and performance.

You will never have to miss capturing those precious moments again, as you can now take up to 300 quality photos with the convenience of the UDC-7M super long battery life.

Enjoy picture perfect images with the outstanding capabilities of the Automatic Image Stabiliser – combining the latest in anti-blur technology with 3x optical zoom lens to bring you sharper, clearer results. Taking and reviewing your photos and movie clips couldn't be any easier with the UDC-7M, which also features a huge 2.5-inch LCD monitor and a selection of 15 Automated Shooting Modes.

Available in a stylish silver finish, the UDC-7M brings together the best of both elegant styling and outstanding features to bring you the ideal in digital cameras.

[TOP](#)

### Key Features

#### 7.1M High Density Digital Images

7.1 mega pixel CCD for High Quality images and suitable for printing 16" X 20" pictures.

#### Super Long Battery Life

The UDC-7M allows you to take 300 Quality photos using a long lasting lithium Ion battery (CIPA Standard).

#### Automatic Image Stabiliser

Anti-blur technology (High Sensitivity Mode ISO 800 to achieve optimum image quality). Maximum sensitivity equivalent to ISO 3200 in lamp mode.

#### High Quality 3 X Optical Zoom

38-114mm (35mm equivalent) lens for incredibly sharp, clear images plus a 4 X digital zoom for a total zoom of 12 times

#### Large 2.5" TFT LCD Monitor

Large viewing area makes taking shots and reviewing images easy

#### Records High Quality Video

Can capture VGA (640 X 480) video at 30 frames per second as a QuickTime Motion JPEG (mov).

#### PictBridge™ Compatible

Use the included USB cable to connect to any PictBridge™ enabled printer. Images can be printed directly from the camera.

#### 15 Automated Shooting Modes

Set the camera to take photos in your choice of 15 different modes so you can get the best results. Supported Modes include: auto, sports, portrait, landscape, night portrait, fireworks, lamp, flowers, still photo image with audio, blur-reduction, snow & beach, face chaser, monochrome, sepia and vivid.

#### 11 Language Support

English, Japanese, French, Spanish, German, Italian, Chinese (Simplified), Chinese (Normal), Korean, Russian, Dutch

#### USB 2.0 Supported

#### Built-In Flash with Red Eye Reduction

**23 MB Internal Memory Stylish Compact Design****Designed and Engineered in Japan****Additional Features****CCD**

Effective Pixels: 7.13 million pixels  
 Size: 1/ 2.5 inch  
 Colour Filter: Primary Colour (RGB)

**LENS, APERTURE & SHUTTER**

Focal Length: 6.3 – 18.9 mm (35mm film equivalent: 38-114mm)  
 Optical Zoom: 3x  
 Digital Zoom: 4x  
 Focusing: Normal: (Wide) 10cm-infinity, (Tele): 60cm-infinity  
 Range: Macro: (Wide) 5cm-80cm, (Tele): 60-80cm  
 Shutter Speed: 2 □ 1/2000 sec  
 Sensitivity: AUTO, ISO 50/100/200/400/800 (ISO 3200 □ lamp mode)  
 Automated Scene Modes: 15 Modes: Auto, Sports, Portrait, Flowers, Landscape, Night Portrait, Fireworks, Lamp, Still Photo Image with Audio, Blur-Reduction, Snow and Beach, Face Chaser, Monochrome, Sepia, Vivid

**LCD MONITOR**

Monitor Type: 2.5-inch Amorphous TFT colour LCD  
 LCD Pixels: Approx. 115,000 pixels

**WHITE BALANCE**

White Balance Mode: Auto, fine, cloudy, fluorescent, tungsten, one push

**FLASH**

Built-In Flash: Auto (automatic activation in low and backlight), Red-Eye Reduction, Fill-In (forced activation), Off (no flash)  
 Flash Range: 0.4m - 3.8m (Wide) 0.6m - 2.0 (Tele)  
 Charging Time: Approx. 5.5 sec

**IMAGE STORAGE**

Storage Media: SD Memory Card. MultiMedia Card  
 Image Format: Still Image: Exif 2.2 (JPEG), DPOF Version 1.1 (Digital Print Order Format)  
 Movie: QuickTime (Image : Motion JPEG, Audio : Monaural)  
 Number of Recording Pixels: Still Image:  
 7MP: 3072 x 2304  
 5MP: 2592 x 1944  
 3MP: 2048 x 1536  
 1MP: 1024 X 768  
 0.3MP 640 X 480  
 Movie: TV: 640 x 480 (30fps)  
 WEB: 320 x 240 (15 fps)  
 WEB-S: 160 X 120 (15fps)

**PLAYBACK SPECIFICATIONS**

Playback Mode Files: Still Image: Single, Index (9 Thumbnails), Magnification (max 48x), Crop, Contrast Correct, Slide Show with Background Music  
 Movie: Normal, Playback, Fast Forward, Slow, Reverse, Pause, Extract a Still Image  
 Erase Modes: Erase Single Files, All Files

**INTERFACES**

Computer Interface:	USB 2.0 Full Speed
Video Out:	NTCS/PAL
Audio Out:	Monaural
Other:	SD Memory Card slot, DC in (optional adaptor)

**SETUP**

Auto Power Off:	Capture mode: 1, 3, 5 or 10 minutes Play mode: 1, 3, 5, 10 or 30 minutes
Date / Time Stamp:	Captured with image or added for printing
Language:	11 languages – English, Japanese, French, Spanish, German, Italian, Chinese (simplified), Chinese (normal) Korean, Russian, Dutch

**POWER SUPPLY**

Power Source:	Lithium Ion Rechargeable Battery w/ charger
Shooting Capacity:	Still Image: approx. 300 shots*

**PHYSICAL SPECIFICATIONS**

Operating Environment:	Temperature: 0-40° C Humidity: 30-85%
Dimensions:	W x H x D: 91 mm x 55.5 mm x 21.1 mm
Weight:	120g w/o battery card

**OTHER**

Included Contents:	1 x UDC-7M Digital Camera, 1 x Li-Ion Battery Pack, 1 x Li-Ion Battery Charger and AC Cable, 1 x Wrist Strap, 1 x A/V Connection Cable, 1 x USB Cable, 1 x Owners Manual, 1 x Safety Manual
Optional Accessories:	SD Memory Card: 512MB, 1GB, 2GB
Internal Memory:	23MB Internal Memory

[TOP](#) 